TRANSMITT	AL
FORM	

Application Number	10/551,506
Filing Date	December 14, 2006
First Named Inventor	Agnes Bauk
Group Art Unit	1793
Confirmation No.	6057
Examiner Name	Colette B. Nguyen
Attorney Docket No.	20496-486
Patent No.	Not Yet Assigned
Issue Date	Not Yet Assigned

FORM					-				
			Examiner Name			Colette B. Nguyen			
			Attorney D	ocket No.		20496-486			
			Patent No.			Not Yet Assigned			
			Issue Date			Not Yet Assigned			
ENCLOSURES (check all that apply)									
☐ F	ee Transmittal Form			e to File Missing cation (PTO-1553)		Request for Certificate of Correction			
	☐ Check Attached ☐ Copy of Fee Transmittal Form		Replacement l	,					
\boxtimes	Amendment/Response	Request For Continued Examination (RCE) Transmittal				Notice of Appeal to Board of Patent Appeals and Interferences			
	☐ Preliminary ☑ Non-Final				Appeal Brief (in triplicate)				
	Affidavits/declaration(s) Letter to Official		Power of Atto	rney f Prior Powers)		Status Inquiry			
	Draftsperson including Drawings	·	(110 / 0 0 0 0 1 0 1	1110110110		Return Receipt Postcard			
	[Total Sheets]_	☐ Terminal Disclaimer ☐ Executed Declaration and Power of Attorney for Utility or Design Patent Application			Additional Enclosure(s) (please identify below)				
	Petition for Extension of Time								
	Information Disclosure Statement	Small Entity Statement							
☐ Form PTO-1449 ☐ Copies of IDS Citations		CD(s) for large table or computer program		·					
	Certified Copy of Priority Document(s)	Amendment After Allowance							
	Sequence Listing submission Paper Copy/CD Computer Readable Copy Statement verifying identity of above								
CORRESPONDENCE ADDRESS				SIGNATURE BLO	ЭCК	C			
Direct all correspondence to: Patent Administrator Proskauer Rose LLP One International Place Boston, MA 02110-2600 Tel. No.: (617) 526-9600 Fax No.: (617) 526-9899		Tel. No.: (617) 526-9893 Agent for the Applicants		Isaac A. Hubner, Reg. No. 61,393 Agent for the Applicants					
				Fax No.: (617) 526-9899		Proskauer Rose LLP			

One International Place Boston, MA 02110-2600